


# 6xHis-Sumo 1

Cat. # E3120

|                           |  |
|---------------------------|--|
| <b>Also Known as:</b>     | DAP1; GMP1; PIC1; SMT3; UBL1; OFC10; SENP2; SMT3C; SMT3H3      |
| <b>NCBI Reference:</b>    | NM_003352  |
| <b>MW (no tag):</b>       | 11.6 kDa   |
| <b>Species:</b>           | Human  |
| <b>Source:</b>            | Bacterial recombinant  |
| <b>Tag:</b>               | 6xHis  |
| <b>Stock Buffer:</b>      | 20 mM Tris, pH7.6 at 4 °C, 150 mM NaCl, 2 mM βME, 10% Glycerol |
| <b>Concentration:</b>     | See tube label   |
| <b>Quality Assurance:</b> | ~95% by SDS-PAGE   |

## Image



**Description:** SUMO (small Ub-related modifier) is a Ub-like protein. Three types of SUMO are most commonly studied, SUMO 1, SUMO 2, and SUMO 3. SUMO 2 and SUMO 3 are almost identical isoforms and thus share many functions. Like Ub, SUMO can be conjugated to its target proteins as a polymeric chain. However, SUMO 1 forms chains inefficiently as compared to SUMO 2 and SUMO 3. SUMO is conjugated to target proteins by the E1 (SAE1/SAE2), E2 (Ube2I or Ubc9), E3 (RanBP2/Nup358, amongst others). Protein sumoylation is involved in many cellular processes including gene transcription.

**Storage:** Store at -80°C; avoid multiple freeze-thaw cycles

**Note:** N/A

**Literature:**

1. Boddy MN, *et al.* (1996) *Oncogene* 13, 971 – 982.
2. Bayer P, *et al.* (1998) *J Mol Biol* 280, 275 – 286.
3. Melchior F, (2000) *Annu Rev Cell Dev Biol* 16, 591 – 626.
4. Praefcke GJK, *et al.* (2012) *Trends Biochem Sci* 37(1), 23 – 31.
5. Werner A, *et al.* (2012) *Mol Cell* 46(3), 287 – 298.

